

WARRANTY



STOP! READ!

ATTENTION! READ BEFORE INSTALLING!

ALL FLOOR COVERINGS SHOULD BE PROFESSIONALLY INSTALLED TO ENSURE A VALID WARRANTY.

We warrant all our products to be free from defects in material and workmanship, under normal use and service, for a specified length of time from the date of purchase as set forth below. This Limited Warranty only applies provided the flooring covered by this warranty is installed and maintained according to our Installation & Maintenance Manual.

WARRANTY COVERAGE 20 mil.		
	Residential	Light Commercial
Manufacturing Defect	30 Years	10 Years
Wear	30 Years	10 Years
Structural	Lifetime	Lifetime

RESIDENTIAL

For residential installations, manufacturer warrants its regular (first quality) floor products to be free from manufacturing defects from the date of purchase; if installed according to the installation instructions and the approved application:

- Will not wear through
- Will not stain from common household stains
- Will not contain manufacturing defects
- Will not rip or tear from normal household use
- Will not permanently indent from normal household use
- The edges of the flooring will not curl if subfloor conditions are met and maintained per the installation instructions

COMMERCIAL

For commercial installations, Manufacturer warrants its regular (first quality) floor products are warranted to be free from manufacturing defects and will not wear through the printed image for the term length of the warranty coverage as set forth below in the Limited Warranty Term Length for Applicable Products and Years section, starting from the date of purchase, installed according to installation instructions and the approved application. All patch work and preparation to the subfloor must be done and allowed to DRY prior to starting the installation. The subfloor must be FLAT, SECURE, and DRY. Subfloors with high moisture trapped underneath the flooring can create pressure at the seams resulting in cupping, peaking and separation. It can take several months for the cupping, peaking and separation to become apparent after high moisture in the subfloor exists or flooding occurs, and such conditions are NOT covered under this product warranty. The subfloor must have a 6mill poly installed between the plank and subfloor or you will void the warranty.

LIFETIME LIMITED STRUCTURAL WARRANTY

Moisture may affect the floor's integrity, it is probable that, when excessive moisture accumulates in buildings or on building materials, mold (and/or) mildew growth can occur (particularly if the moisture problem remains undiscovered or unaddressed). Must maintain the proper moisture content of the subfloor/concrete and relative humidity of the room throughout the entire year. Manufacturer moisture warranty excludes damage resulting from mold and/or mildew growth due to prolonged exposure to moisture. In addition, such excessive moisture levels can cause the ends and/or sides of the product to lift/flare, cup, peak and separate due to the moisture vapor pressure from underneath. Such damage from excessive moisture levels (as outlined in the installation instructions document) are not covered by this warranty. All sources of subfloor moisture should be remedied prior to installation. This warranty is not transferable by the purchaser of the floor.

Open joints of 0.01 inches (0.2 mm) or less are not considered a defect under the joint integrity warranty. Joints compromised by improper installation, lack of continuous climate control or obstructions creating pinch points are specifically excluded by this warranty.

This Lifetime Limited Structural Warranty excludes all casualty events involving water coming in contact with your floor and failures normally covered by homeowners insurance including, but not limited to, damages caused by flooding or standing water from leaky pipes, faucets, or household appliances. Also excluded are damages caused by flooding or standing water from hydrostatic pressure or other casualty events. Any damage to the subfloor and/or surrounding structure that is caused by standing water or flooding is not covered by this warranty.

When a defective product is installed, credit applies to material only and does not include labor since it is the responsibility of the installer to determine suitability of material prior to installation.



CORTONA
plus
W A T E R P R O O F

WARRANTY

This Lifetime Limited Structural Warranty does not cover:

- Damage to surrounding structure, walls, subfloor, fixtures, furniture, underlayment, moldings, trims, subfloor heating elements, or anything that is not the floor plank or tile.
- Flooring that is installed outdoors
- Damage that deforms or curls the flooring due to trapped moisture under the flooring. Although this product does not absorb moisture nor degrade the product itself, excessive subfloor moisture can exert pressure to the edges of the flooring and deform the shape of the product.
- Damage from mold, mildew, or other related air quality issues that develop from excessive moisture in the subfloor
- Discoloration from mold or from flooding, leaking plumbing or appliances, water entering through doorways that lead outside
- Squeaking noises are not covered by the warranty and note this is a floating floor so noise is allowed. Installers need to check the entire integrity of the floor system before they complete the entire project.
- Floor exposed to moisture at any time during or after installation may cause the floors to cup, lift, peak or separate. During any inspection the inspector may not find moisture at the present time but because of the structure movement of the planks, moisture or a jobsite condition might change the floor.
- If you don't engage the locking system correctly or cause a fracture on the locking system that is unseen during installation, the lock system will break/separate over time and the planks will come apart. It is the responsibility of the installer to ensure they engage the planks correctly without causing any fracture to the locking system
- Squeaking noise will not be covered by the warranty and it is the responsibility of the installer before they leave the job site that there are no noises coming from the entire floor system. The installer should install 100 SF and test the floor system integrity and continue to test the floor integrity every 250 SF.

WHAT IS NOT COVERED BY THIS LIMITED WARRANTY?

- Damage caused by fire, flooding, exposure to standing water or intentional abuse.
- Damage caused by moisture to surrounding structure, walls, subfloor, fixtures, furniture, underlayment, moldings, trims, subfloor heating elements, or anything that is not the structural integrity or dimensional stability of the floor plank or tile.
- Flooring that is installed outdoors.
- Damage caused by vacuum cleaner beater bar, rolling caster wheels, and cutting from sharp objects. When vacuuming, we recommend using the wand attachment on your vacuum.
- Indentation or damage from improper loading including high heels, spiked shoes, rolling loads, chairs or other furniture not using floor protectors
- Damage caused by abuse such as moving appliances across the floor without adequate protection. When moving appliances or heavy furniture, lay a plywood panel on your floor and "walk" the item across it. This protects your floor from scuffing and tears.
- Loss of gloss/scratching.
- Minor color, shade or texture variations between samples or printed color photography and the actual material.
- Floors that are graded "irregular" or sold "as is" without warranty.
- Floors that are installed in structures other than owner-occupied or tenant-occupied residences. (Except products that are noted as warranted commercial or limited commercial.)
- Discoloration from moisture or underlayment panels after having been repaired or replaced by Manufacturer one time.
- Construction or installation-related damage – including installation defects due to installations not using the recommended Manufacturer products.
- Failure of the floor to adhere to the subfloor due to, for example, moisture, alkaline or vapor pressure from the subfloor.
- Inappropriate end-user activities.
- Damage due to adhesives or tape, scratches, gouges, scuffs, punctures, cuts, indentations, burns, accidents, lack of proper furniture rests, such as chair pads etc., rolling and/or non-foot traffic, or any intentional misuse of the product. Loss of finish gloss over time is consistent with normal wear & tear and is not a product flaw.
- It is normal and expected for there to be color variations due to use of natural components, exposure to UV light and/or sunlight, and age of material. Therefore, color inconsistency between samples, replacement product or illustrations and actual product is not a manufacturing flaw.
- Manufacturer makes no guarantee that Manufacturer products will match or coordinate with customer furnishings, trim, cabinetry, railings, etc.
- Noncompliance with installation instructions and maintenance guidelines as recommended by Manufacturer. Manufacturer cannot assume responsibility for the suitability of flooring material and accompanying products for each individual installation as manufacturer has no control over the installer's proper application. Should an individual piece be doubtful as to appearance or dimension the installer should not use this piece.
- Cracking, warping, soiling, fading, improper maintenance or abuse caused by items such as roller skates, golf shoes, pets, or certain types of wheelchairs and other heavy rolling loads.
- Floor covering installed in inappropriate locations is excluded from this warranty.
- Gloss reduction or surface scratches are not considered surface wear. Dull finish can be corrected with spot or overall recoating care systems.
- Damage to floor caused by flooring that is installed using the floating method that subsequently is heated to temperature above 140° F (60° C) or is exposed to temperatures below 32° F (0° C). This product has an attached underlayment that is not suitable for a direct glue installation. If your site conditions fall outside of the specified temperature range, a dry-back vinyl plank installation is recommended.
- Sounds produced between the subfloor and the moisture barrier are considered a subfloor issue and are not covered under the product warranty.
- Damage that deforms or curls the flooring due to trapped moisture under the flooring. Although this product does not absorb moisture nor degrade the product itself, excessive subfloor moisture can exert pressure to the edges of the flooring and deform the shape of the product
- Damage from mold, mildew, or other related air quality issues that develop from excessive moisture in the subfloor
- Discoloration from mold or from flooding, leaking plumbing or appliances, water entering through doorways that lead outside



WARRANTY

THERE ARE NO WARRANTIES BEYOND THIS EXPRESSED LIMITED WARRANTY. ALL OTHER WARRANTIES, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXCLUDED. MANUFACTURER EXCLUDES ANY LIABILITY FOR LOST PROFITS AND WILL NOT PAY ANY OTHER INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES UNDER THIS WARRANTY. BY THIS WE MEAN ANY LOSS, EXPENSE, OR DAMAGE OTHER THAN TO THE FLOORING ITSELF THAT MAY RESULT FROM A DEFECT IN THE FLOORING. NO IMPLIED WARRANTIES EXTEND BEYOND THE TERMS OF THIS WRITTEN WARRANTY. THE REMEDIES CONTAINED HEREIN ARE THE ONLY REMEDIES AVAILABLE FOR BREACH OF THIS WARRANTY.

Please note: Some jurisdictions do not allow exclusion or limitations of incidental or consequential damages or limitations on how long an implied warranty lasts, so the above limitations or exclusions may not apply to you. Also note: This limited warranty gives you specific legal rights, and you may also have other rights which vary from jurisdiction to jurisdiction.

30 YEAR LIMITED RESIDENTIAL WEAR WARRANTY

The vinyl layer of the floor plank is warranted by Manufacturer not to wear through under normal use for the life of the product. Vinyl layer wear-through is defined as 100% vinyl layer wear-through that exposes the core material over a minimum of 3% of the total installation. (Gloss reduction or surface scratches are not considered surface wear.) Dull finish can be corrected with spot or overall recoating care systems. This warranty is non-transferable and applies only to the original purchaser.

This lifetime limited residential wear warranty is made subject to the following conditions:

- The floor must be installed properly and according to Manufacturer' installation instructions. Proper installation includes, but is not limited to the following:
- Concrete subfloors must be tested and confirmed dry prior to installation.
- The flooring must be used only indoors in a climate-controlled area.
- The flooring must be maintained in accordance with Manufacturer maintenance instructions.
- This limited warranty does not apply to Manufacturer moldings and trims.
- Installation of flooring that contains any manufacturing defect is not covered by this limited wear warranty.

10 YEAR LIGHT COMMERCIAL LIMITED WEAR WARRANTY

The vinyl layer of the floor plank is warranted by Manufacturer not to wear through under normal light commercial use for a period of ten (10) years from the date of purchase. Vinyl layer wear-through is defined as 100% vinyl layer wear through that exposes the core material over a minimum of 3% of the total installation. (Gloss reduction or surface scratches are not considered surface wear.) Dull finish can be corrected with spot or overall recoating care systems.

This warranty is non-transferable and applies only to the original purchaser and only if used in the following commercial areas:

- Retail: Novelty Shops/Boutiques, Product Display Areas, Showrooms, Hair Salons, Hallways
- Hotels: Conference/Meeting Rooms
- Medical Offices: Waiting Rooms, Patient Rooms, Examination Rooms, Storage Rooms, Hallways
- Offices: Offices, Conference/Meeting Rooms, Break Rooms

*For additional applications please call your local supplier for further information.

This 10 Year Limited Light Commercial Wear Warranty is made subject to the following conditions:

The floor must be installed properly and according to Manufacturer' installation instructions. Proper installation includes, but is not limited to the following:

- The flooring must be used only indoors in a climate controlled area.
- The flooring must be maintained in accordance with Manufacturer maintenance instructions.
- This limited warranty does not apply to Manufacturer moldings and trims.
- Installation of flooring that contains any manufacturing defect is not covered by this limited wear warranty.



CORTONA
plus
W A T E R P R O O F

WARRANTY

The 10 Year Limited Light Commercial Wear Warranty does **NOT** cover:

- 10 Year Limited Light Commercial Wear Warranty Damage due to adhesives or tape, scratches, gouges, scuffs, punctures, cuts, indentations, burns, accidents, lack of proper furniture rests, such as chair pads, etc., rolling and/or non-foot traffic, or any intentional misuse of the product. Loss of finish gloss over time is consistent with normal wear & tear and is not a product flaw.
- It is normal and expected for there to be color variations due to use of natural components, exposure to UV light and/or sunlight, and age of material. Therefore, color inconsistency between samples, replacement product or illustrations and actual product is not a manufacturing flaw.
- Manufacturer makes no guarantee that Manufacturer products will match or coordinate with customer furnishings, trim, cabinetry, railings, etc.
- Noncompliance with installation instructions and maintenance guidelines as recommended by Manufacturer. Manufacturer cannot assume responsibility for the suitability of flooring material and accompanying products for each individual installation as manufacturer has no control over the installer's proper application. Should an individual piece be doubtful as to appearance or dimension the installer should not use this piece.
- Cracking, warping, soiling, fading, improper maintenance or abuse caused by items such as roller skates, golf shoes, pets, or certain types of wheelchairs and other heavy rolling loads.
- Floor covering installed in inappropriate locations is excluded from this warranty.
- Gloss reduction or surface scratches are not considered surface wear. Dull finish can be corrected with spot or overall recoating care systems.
- Damage to floor caused by flooring that is installed using the floating method that subsequently is heated to temperature above 140° F (60° C) or is exposed to temperatures below 32° F (0° C). Flooring exposed to these conditions must be installed using the glue down method in order to maintain warranty coverage.

WARRANTY LIMITATIONS

Please take notice that none of the following kinds of problems are problems arising from defects in material or workmanship, and are therefore not covered by this Product Warranty:

- a) Defects arising from poor installation (this includes - damage arising from sub-floor irregularities, for example excessive unevenness, loose nails or other protrusions; visual surface defects caused by previous floor coverings that should have been removed or covered, for example ceramic or bitumastic tiles, floor-boards, cushioned vinyl, or by failure in the underlayment; seams 'peaking' or opening due to use of incorrect adhesive or seaming method; edge-to-edge shade variation; discoloration arising from installation next to a source of excessive heat); and visible trowel marks.
- b) Dissatisfaction due to improper maintenance.
- c) Problems arising from excessive moisture, alkali or hydrostatic pressure in substrate.
- d) Problems arising from cuts, tears, gouges, burns or other damage caused by stiletto or sharp high heels (these will damage even concrete!), sharp or hot objects dropped on the floor, dragged appliances, unprotected furniture feet, damage from pets etc.
- e) Damage caused by chemically reactive material, carpet crocking, dye, mold, stains, spillage, burns, gouges, scratches, indentations, floods, accidents, abuse or any harsh scouring pads while buffing.
- f) Small differences in color and or texture between the actual material or photographic images of the material and the actual flooring purchased.
- g) Construction or installation-related damage.
- h) Damage caused by inappropriate end-user activities.
- i) Installation of products with adhesives other than those recommended by the Manufacturer.
- j) Products may have slight color variations not detected at the factory. All products must be dry laid and examined under standard lighting conditions for color acceptance before being installed.

The preceding list is not exhaustive, but is merely illustrative, of the many kinds of problems that are not due to defects in material or workmanship in the products, and are not within the coverage of this warranty. Other such problems not described on the list above are also outside the scope of this warranty.

The Manufacturer will, at its option, either repair and/or replace the defective Flooring or credit the customer for the portion of the purchase price attributable to the flooring which is defective. The Manufacturer is responsible to pay for shipping and handling for any replacement, along with costs directly related to the defective flooring (e.g., pro-rated labor to remove flooring, reasonable labor to install replacement flooring, additional materials required to install replacement Flooring.). Due to the nature of the product, replacement Flooring is not guaranteed to match the original Flooring in terms of color, tone, pattern or other natural characteristics. These remedies are your sole and exclusive remedies under this warranty.

This Limited Warranty is in lieu of any other warranties, expressed or implied. Please keep your receipt or obtain it from the original retail purchaser. The Manufacturer requires the receipt in order to verify date of purchase to help resolve any problems.