

WARRANTY

ENGINEERED MULTI-LAYER WARRANTY

Section: Forward to Warranty

Pages 2 - 4

- Warranties - How about the Truth! 2-4

Section: Engineered MultiLayer Limited Warranty

Pages 5 - 10

- Warranty Overview 5
- Pre-Installation Warranty 6
- Post-Installation Warranty 7
- Finish Warranty 7
- Rescreening Warranty 7
- Structural Warranty 7
- Installer's Responsibilities 8
- What is not covered 9
- "The Fine Print" 10





**L.E.E.D.® Qualifications - EQc 4.4
Carb Phase II Compliant**

WARRANTY

FORWARD TO WARRANTY - HOW ABOUT THE TRUTH!

THE TRUTH

The manufacturer prefers to set the performance expectations for wood flooring and flooring finishes in a realistic manner up front. In doing so, we believe a little truth goes a long way!

If you read most of the other wood flooring manufacturer's warranties you will find in big bold print claims such as:

Lifetime Finish Warranty & Lifetime Structural Warranty! Some offer 25 year warranties; some offer 15 year, some merely 10-year warranties. What does it all mean? Is one manufacturer's product really that much better than another's? Is one warranty better than another?

Before we address these issues and delve into what is concealed in their warranty's "fine print", the manufacturer would like to look at two separate issues:

THE PROPERTIES OF WOOD

All wood flooring is constructed of either solid wood (just one piece in thickness) or engineered wood (comprised of several layers of wood). As such, because wood is a living material, it reacts with water in much the same way your kitchen sponge does:

1. It can and will absorb water when exposed to water either in the form of liquid water or also will draw in/give away water from the humidity in the atmosphere and/or also from the subfloor the flooring touches.
2. When it does absorb water, wood swells in size and may cup/crown.
3. When it dries out, wood shrinks in size and may also cup.

The only difference between engineered wood flooring and solid wood flooring is that engineered flooring, because it is bonded in alternating layers with the grain in each layer in an opposite direction, makes the wood somewhat more stable (partially limiting how much the floor swells/shrinks) than solid wood flooring. However, engineered wood flooring still shrinks/swells as it gains/loses moisture! And just like a sponge, wood flooring can crown or cup depending on how much and from where the floor gains/loses moisture.

Each species of wood shrinks/swells at a lesser/greater rate unique to each species. This is a simple mathematic formula. For each gain of 1% of moisture content a certain species of wood will gain X% in width. This formula simply represents the physical laws that apply to that individual species of wood and they are immutable.

So, the bottom line is, no manufacturer warrants wood flooring to be impervious to water! (More on this when we get to the "fine print" section).



L.E.E.D.® Qualifications - EQc 4.4
Carb Phase II Compliant

WARRANTY

FORWARD TO WARRANTY - HOW ABOUT THE TRUTH!

THE PROPERTIES OF FINISHES

All finishes, even with all the recent improvements to durability, will scratch and dent. If you drag something heavy across the floor you scratch the finish and perhaps even get under the finish itself and scratch/gouge the underlying wood, while you may also pull off the overlaying finish.

All finishes will dent when pressed hard enough. Depending on the hardness/softness of the wood underneath the finish, the wood itself will dent to an even greater/lesser degree in direct proportion to the wood's hardness.

All finishes will wear from abrasion. If you allow sand and grit to lie on the floor, foot traffic will grind the finish down. Excessive foot traffic will also do the same over time. Initially, the finish will dull in these areas. Eventually, the finish will wear down to bare wood if not recoated beforehand.

So the bottom line is, once again, no flooring manufacturer warrants their finish to be impervious to wear, much less abuse, and all have a long list of what they consider abuse. (Once again, more on this when we get to the "Fine Print" section.)

However, the good news is the ongoing finish revolution. In the past 10 years there have been vast technological improvements to flooring finishes with continued advances being made each day. Finish wearability has increased 5 fold and new formulas are coming on the market just now that increase durability 20 fold. This is the result of adding hard particles to the finish and from the use of new harder resins. While all this improvement brings finished flooring closer to "the holy grail" of total imperviousness, finishes still aren't there yet. Now to the Fine Print!

THE USUAL FINE PRINT

Here is what typically is ***excluded*** in the fine print from the so-called "Lifetime Warranties" many manufacturers tout today.

On Wood:

1. Engineered Wood Flooring – will not delaminate – (only if not soaked in water, either from below/above).
2. Engineered Wood Flooring – will not move – (only if not soaked in water from above or below and if installed on a site that is maintained with a relative humidity between 35% and 65%).



**L.E.E.D.® Qualifications - EQc 4.4
Carb Phase II Compliant**

WARRANTY

FORWARD TO WARRANTY - HOW ABOUT THE TRUTH!

On Finish:

1. Will not peel/blister – (only if not soaked in water or exposed to chemicals/solvents/alkalines/acids).
2. Will not wear through to bare wood – (only if proper maintenance procedures are followed, meaning keep them clean and free from grit and, in addition, many manufacturers require recoating when showing first signs of wear).

THE WARRANTY KILLERS

Here is what is included in the fine print as warranty “killers” by most manufacturers:

1. Soaking in water from above or below.
2. Wet mopping & failure to clean up spills.
3. Wet subfloor.
4. Relative humidity at site below 35% or above 65%.
5. Failure to protect the floors from sand/grit, pets, high heels, chair/furniture w/o protectors, lack of mats at entry ways, excessive foot traffic, household chemicals, abrasive cleaners, etc.

Also, one should know most finish warranties don't consider a change in sheen/gloss levels to be a defect– only peeling or complete wear through is.

CONCLUSION

So the answer to the question “Is one manufacturer's warranty of ‘Lifetime’ better than another at ten years?” is that the Lifetime Warranty is only slightly better. This is due to the fact that almost all causes for possible product failure (other than manufacturing process failures such as finish adhesion and glue bonds, which almost always appear within one year) are excluded in the fine print anyway!

And, as most reputable flooring manufacturers quickly take advantage of the new improvements to finishes and engineering as they become available from their suppliers, most similar flooring products are roughly equal in performance, regardless of warranty.

The manufacturer's approach to warranties is to be realistic about product performance and equally open about our warranty and its limitations. Our fine print is reserved only for legalese.

The manufacturer is also committed to using the latest technological advances in finish and engineering as they become available, always offering the finest flooring on the market.



**L.E.E.D.® Qualifications - EQc 4.4
Carb Phase II Compliant**

WARRANTY

WARRANTY OVERVIEW

The Warranty Term(s):

- 30-Year Residential Finish Warranty
- 5-Year Light Commercial Finish Warranty
- Lifetime Structural Warranty

What is covered under this Limited Warranty:

MultiPly Collections – First quality only (MultiPly Sold “as is”, without warranty, or as cabin grade, or as shop grade and so noted on your invoice is not covered under this warranty).

Who is covered under this Limited Warranty:

The original buyer/installation site owner when the flooring is used in a residential (as opposed to commercial) setting. (Note: This warranty is non-transferable to subsequent owners.)

Installation Instructions to use:

Please refer to the Laguna specific MultiPly Wood Flooring Installation Instructions.

Maintenance Instructions to use:

Please refer to the Laguna specific Maintenance Instructions.

Claims Procedures:

In the event of a claim please visit the retailer from whom you purchased your Mission flooring. The claim form must be submitted through the company from which the flooring was purchased. Upon receipt of the written claim, the retailer and distributor will act expeditiously to settle the matter but reserves the right to physically inspect the floor and remove samples for lab tests. The distributor and manufacturer will work diligently to report its findings back to you within 60 days of receipt of the written claim.



**L.E.E.D.® Qualifications - EQc 4.4
Carb Phase II Compliant**

WARRANTY

“WARRANTIES - HOW ABOUT THE TRUTH!”

Please review this section prior to reading this warranty. See pages 2 & 3.

The manufacturer warrants the flooring, within Industry Standards *, to be:

- Free from defects in materials and workmanship when it leaves their possession.
- Of the grade written on your invoice.
- Of the finish quality represented in their samples and in their technical specifications.
- Between 6% - 9.5% moisture content as taken from the box.

* Standard industry trade practices allow up to 5% of the flooring shipped to contain milling, handling, finish and/or grade defects. This warranty applies only to that material in excess of 5% that is deemed to be defective. (When ordering flooring, it is standard trade practice to order 7% more flooring than actual coverage needed to allow for cross cutting and fitting waste as well as allowing the installer to set aside any substandard pieces.)

PRE-INSTALLATION WARRANTY

- The manufacturer will, at its option, either replace or refund the purchase price of any flooring found to be defective, prior to installation, in excess of the 5% of miss-milled/miss-graded/ miss-finished product allowed to be included under Standard Industry Trade Practices.
- The manufacturer will, at its option, either replace or refund, upon return to the retailer/distributor, the purchase price of any uninstalled flooring found to be at a higher moisture content, when taken from the plastic sealed carton, than the 6 - 9.5% moisture content the manufacturer represents the flooring to be produced to.

Note: It is the installer's responsibility to check the moisture content first and deem it acceptable for the site. The installer must also inspect the flooring as it is installed and set aside or cross-cut out defects found prior to installation. Once the flooring has been installed, the installer has deemed the flooring acceptable and the manufacturer assumes no further responsibility for defects visible at the time of installation which have been installed anyway.



**L.E.E.D.® Qualifications - EQc 4.4
Carb Phase II Compliant**

WARRANTY

POST-INSTALLATION WARRANTIES

Finish Warranty:

Pre-finished flooring is flooring supplied with a film finish already applied at the Factory. Industry Standards allow up to 5% of the flooring shipped, to contain milling, handling, and grade defects as well as occasional finish defects.

- The manufacturer's Pre-Installation Warranty, on the preceding page, covers thereplacement/refund for any flooring returned to the distributor/retailer in excess of 5% of thetotal flooring shipped with visible defects, including finish defects, prior to installation.
- The manufacturer warrants to the original purchaser, that for a period of 30 years from thedate of purchase that the finish shall not peel or blister from the floor under normalResidential, (as opposed to 5-Year Light Commercial), use conditions - see the "What is Not Covered" section for further details.
- The manufacturer warrants that the finish will not wear through to the bare wood for a periodof 30 years from the date of purchase under normal Residential, (as opposed to 5-Year LightCommercial), use conditions – see the "What is Not Covered" section for further details.Note: changes in Gloss level are not considered a defect.
- The manufacturer warrants that the finish shall not peel, blister or wear through to barewood in a light commercial setting for a period of 5 years. Examples of setting where lightcommercial use is warranted are common areas in multi-unit dwellings, low-traffic retailshops and offices. Light Commercial does not cover heavy usage in high traffic settings.

Rescreening Warranty:

- The manufacturer warrants this flooring can be re-screened/refinished one time by aprofessional refinisher, (for repair purposes/to change stain color) – see the "What is NotCovered" section for further details.

Structural Warranty:

- The manufacturer offers a lifetime structural warranty to the original purchaser. This floor will not delaminate under normal use conditions – please be sure to:
 1. Follow the manufacturer's Engineered MultiPly Installation Instructions and do notinstall this flooring over a wet sub floor as delamination can occur in flooringimproperly installed on wet surfaces.
 2. Follow the manufacturer's Maintenance Instructions as delamination is possible ifyou soak the floor from above.



**L.E.E.D.® Qualifications - EQc 4.4
Carb Phase II Compliant**

WARRANTY

ENGINEERED MULTI-LAYER WARRANTY

Installer's Responsibility:

It is the installer's responsibility to follow the manufacturer's Engineered MultiLayer Wood Flooring Installation Instructions, which include complete instructions, in much greater detail than outlined below, on the following topics:

- Inspect the flooring to ensure:
 - ▶ You received the quantity, species, grade and size flooring you ordered.
 - ▶ There was not any handling damage or water damage in transit (in which case you need to lodge a claim with the retailer and or logistics company responsible for delivering to jobsite).
- Prepare an installation plan, based on testing, at the flooring site, of both the subfloor for acceptable moisture content and the site atmosphere for the proper range of relative humidity. The installer must keep a record, which lists the results of all the tests taken. Download a copy of the Permanent Installation Record from this website on which to record these results, as the manufacturer will request a copy of the job record in reviewing any claims made against this warranty.
- Prepare an installation plan, based on testing, at the flooring site, of both the subfloor for acceptable moisture content and the site atmosphere for the proper range of relative humidity. The installer must keep a record, which lists the results of all the tests taken. Download a copy of the Permanent Installation Record from this website on which to record these results, as the manufacturer will request a copy of the job record in reviewing any claims made against this warranty.
 - ▶ The color/grain range and the color change to be expected in the species chosen and how the freshly installed floor may vary in look from the aged samples from which their selection was made.
 - ▶ Establish that the site and sub floor are suitable for the installation method chosen and advise the buyer of, and correct any deficiencies prior to commencing installation.
- Install the flooring properly. This includes:
 - ▶ Use of the proper moisture barrier/underlayment, mastic, glue, or nails/staples.
 - ▶ Perform adequate color/grain selecting as you install the floor, so as to not install "odd colored/grained" pieces in conspicuous places, as the owner may reject them later.
 - ▶ Protect the flooring and the finish during installation and protect the flooring afterwards from construction and move-in foot traffic to minimize scratching and wear.
- Instruct the end user in proper floor & maintenance care as well as the need to maintain proper relative humidity levels at the site. Please see the manufacturer's Maintenance Instructions.



**L.E.E.D.® Qualifications - EQc 4.4
Carb Phase II Compliant**

WARRANTY

What is not covered under this Limited Warranty includes but is not limited to:

It is the installer's responsibility to follow the manufacturer's Engineered MultiLayer Wood Flooring Installation Instructions, which include complete instructions, in much greater detail than outlined below, on the following topics:

- Claims made on pieces of flooring installed with visible defects as it is the installer's responsibility to set aside pieces with visible defects and not use them. Flooring, once installed, is deemed accepted.
- Claims made on pieces of flooring installed with excessive color/grain variation as it was the installers responsibility to inspect the flooring prior to installation and install the floor in a random and harmonious mix.
- Color changes in the wood as it ages or from exposure to sunlight.
- Variation in the color/graining of the installed floor from showroom samples, as the samples most likely will have aged and changed in color, gaining the patina of a partially or fully aged floor. Excessive swelling and/or shrinkage or other movement, such as cupping & delamination, in the flooring caused by a change in the moisture content due to extreme dryness/ humidity on the site which is outside the recommended 35% - 65% relative humidity range to be maintained for this product.
- Excessive swelling, cupping &/or delamination in the flooring caused by an increase of moisture content in the wood from moisture sources below the floor such as a wet sub-floor, or from moisture from above from such sources as spills, excessive wet mopping, pets, etc.
- Insect infestation if it occurs subsequent to the date on which the product passes out of the manufacturer's control.
- Damage, excessive movement or defects caused by:
 - ▶ Improper shipping, handling and/or storage after the product leaves the manufacturer's possession.
 - ▶ Improper preparation or excessive moisture content of the surface on which this product is installed.
 - ▶ Excessive moisture from natural disasters such as flooding, broken pipes, etc., in which case your homeowner insurance company should be contacted.
 - ▶ Excessive wet mopping or failure to cleanup spills and standing water.
 - ▶ Improper installation whereby manufacturer's Engineered MultiPly Wood Flooring Installation Instructions are not followed.
 - ▶ Improper application/use including installation over radiant heat which is not covered under the manufacturer's Warranty.
 - ▶ Improper maintenance and failure to follow the manufacturer's Maintenance Instructions.
 - ▶ Finish Damage & Wear caused by:
 - ◆ Heavy Commercial use to include high traffic areas.
 - ◆ Abuse /abnormal wear including, pet scratches, indenting from "high heels", dropped or dragged heavy objects, improper maintenance, failure to protect entry & high wear areas with mats, etc. as reviewed in the manufacturer's Maintenance Instructions.
 - ▶ Any subsequent site refinish compatibility/panelization issues, as this is the site installer/refinisher's responsibility to:
 1. Adequately test the finish they propose to use for proper adhesion bond and,
 2. To get approved by the end user, the look of the finish they propose to use prior to actually re-finishing the floor.



**L.E.E.D.® Qualifications - EQc 4.4
Carb Phase II Compliant**

WARRANTY

ENGINEERED MULTI-LAYER WARRANTY

Warranty – “the fine print”:

The manufacturer neither assumes nor authorizes any other person to assume for it any other obligation in connection with the sale of this product. This writing is the complete and exclusive statement of the warranty, and is in lieu of all other express and/or statutory warranties. Any implied warranties, including, but not limited to the implied warranties, merchantability and fitness for a particular purpose are limited in duration to the duration of this express warranty. Some states do not allow limitations on how an implied warranty lasts, so the above limitation may not apply to you. The manufacturer’s obligation under this warranty shall be limited to, at its options, providing replacement of shortages, exchange of defective products, or refund of purchase price for flooring with visible defects returned prior to installation. For flooring with delamination and finish defective issues discovered after installation and not visible prior to installation, the manufacturer, at its option, will either repair or replace the defective flooring and/or refinish the defective finish. The manufacturer assumes no liability for incidental or consequential damages. However, some states do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion may not apply to you. The sole purpose of the remedy provided herein is the replacement/repair of defective products or refund of purchase price. This remedy shall be the buyer’s exclusive remedy, and shall not be deemed to have failed of its essential purpose so long as the manufacturer is willing to replace/repair such defective goods or refund the purchase price. This warranty does not apply to any product or products designated as seconds, special or nonstandard items. Any product or products so designated are sold “as is”. In order to obtain performance of these warranty obligations, the person seeking performance should contact the retailer from whom they purchased their flooring. This limited warranty gives you specific legal rights, and you may also have other rights, which vary, from state to state. Interpretations - this sale shall be governed solely by the terms and conditions herein set forth which shall prevail over any conflicting terms and conditions of buyer, any statement in buyer’s purchase order, notwithstanding. All prior writings, representations or negotiations with respect to the subject matter are deemed to be merged herein. The failure of either party to enforce any of the provisions of this agreement shall not be construed as a waiver of such provision or of the right of any party thereafter to enforce each and every provision. The terms of this agreement may not be extended, discharged, amended or modified, in any way, except by a writing signed by an authorized representative of each party. This agreement shall be construed in accordance with the law of the State of New York.